





SOLUTIONS FOR VINEYARDS

MADE IN ITALY



ACCESSORIES FOR TYING DOWN





COMPANY 4

ACCESSORIES FOR TYING DOWN 5

TYING DOWN

CLIPS FOR MANUAL TYING DOWN/TRELLISING 7

CLIPS FOR WIRE LIFTERS 12

COMPATIBLE PARTS FOR WIRE LIFTER 15

VARIED ITEMS FOR TYING DOWN 19

BATTERIES

BATTERIES 29

POWER TOOLS

ELECTRONIC PRUNING SHEARS 31

ELECTRONIC TYING MACHINES 33

SHOOTS REMOVING

PARTS AND ACCESSORIES FOR SHOOT REMOVERS 38

TRIMMER

COMPATIBLE SPARE PARTS FOR TRIMMERS 40

PRE-PRUNERS

COMPATIBLE SPARE PARTS FOR PRE-PRUNERS 42

GENERAL SALES CONDITIONS 43



LACRUZ® was founded in 2006 by Mr Andrea Cruzolin and has become an important reference point in the viticulture sector.

It grounds its roots in long experience and tests in a territory where the wine culture has ancestral origins. Its constant innovation and improvement of know-how in the technological and mechanical field and the endless research of new materials have set the basis for the creation of products intended for improved efficiency in this sector and for those using them.

LACRUZ® offers a wide range of products: spare parts, accessories for harvesting, binding and trimming, batteries, pruning shears, besides the sale/rent of grape harvesters.

Our high-quality after-market parts represent an alternative to the genuine products.

Rapidity and availability are demanded by customers and they have become the principles at the basis of our service, to face and cope with an even more global challenge.

LACRUZ®, a registered trademark since 2017, is looking into the future by expanding its business to new markets, heading to an international dimension, rich in useful exchanges and experiences.


LACRUZ® has become a well-known brand worldwide and a stable reference point in the viticulture field. Among the various growing phases of the vine, that of tying down corresponds to one of the most extremely important and delicate tasks, determining the correct development of the vines. Thanks to its pluriennial experience and the constant research in the field, LACRUZ® developed a wide range of products responding to the most specific technical and environmental needs of this important phase of the plant.

Foliage clips for canopy management are produced by LACRUZ® in several materials, sizes and shapes to be used in different types of growing systems or environmental demands.

LACRUZ® also produces clips compatible with mechanical wire lifters, such as Volentieri – Pellenc, Imeca and Tordable, besides spare parts for these machines.


To complete the range of tying products: pvc tube, ties, anchor bands, vine protections, manual tying guns and many other accessories, besides a complete range of wire for the electronic tying tools in the market and battery packs for electro tools.

With the aim of offering an even wider range of products, LACRUZ® shows up as a unique supplier for all the needs of the vine growers in all the stages of the year.



PLANT - BASED CLIPS, IN PLA COMPOSTABLE MATERIAL

code **SGRCIAPLA**




LOADING CAPACITY: 15 Kg

SUITABLE FOR
Ø1.2 TO Ø2.8 WIRES
AND FOR PP TWINE

2500 clips made of PLA (Polylactic acid), 100% biodegradable and compostable, for manual tying down/trellising. One box 40 cm x 40 cm x 50 cm contains 10 bags. Each pallet consists of 18 boxes.



code **SGR135PLA**




LOADING CAPACITY: 16 Kg

SUITABLE FOR
Ø1.2 TO Ø2.8 WIRES
AND FOR PP TWINE

1000 clips made of PLA (Polylactic acid), 100% biodegradable and compostable, for manual tying down/trellising. One box 40 cm x 40 cm x 43 cm contains 20 bags. Each pallet consists of 18 boxes.



code **SGR063PLA**



LOADING CAPACITY: 16 Kg


SUITABLE FOR
Ø1.2 TO Ø2.8 WIRES
AND FOR PP TWINE

1000 clips made of PLA (Polylactic acid), 100% biodegradable and compostable, for manual tying down/trellising. One box 40 cm x 40 cm x 43 cm contains 10 bags. Each pallet consists of 18 boxes.



OXODEGRADABLE / BIODEGRADABLE

code **SGRCIAB**




LOADING CAPACITY: 15 Kg

SUITABLE FOR
Ø1.2 TO Ø2.8 WIRES
AND FOR PP TWINE

2500 BIODEGRADABLE clips for manual tying down/trellising. One box 40 cm x 40 cm x 50 cm contains 10 bags. Each pallet consists of 18 boxes.



code **SGR135B**




LOADING CAPACITY: 16 Kg

SUITABLE FOR
Ø1.2 TO Ø2.8 WIRES
AND FOR PP TWINE

1000 BIODEGRADABLE clips for manual tying down/trellising. One box 40 cm x 40 cm x 43 cm contains 20 bags. Each pallet consists of 18 boxes.



code **SGR050B**




LOADING CAPACITY: 16 Kg

SUITABLE FOR
Ø1.2 TO Ø2.8 WIRES
AND FOR PP TWINE

1000 BIODEGRADABLE, ANTI-RELEASE clips for manual tying down/trellising. One box 60 cm x 40 cm x 40 cm contains 30 bags. Each pallet consists of 12 boxes.



code **SGR063B**



LOADING CAPACITY: 16 Kg




SUITABLE FOR
Ø1.2 TO Ø2.8 WIRES
AND FOR PP TWINE

1000 BIODEGRADABLE clips for manual tying down/trellising. One box 40 cm x 40 cm x 43 cm contains 10 bags. Each pallet consists of 18 boxes.






CLIPS FOR MANUAL TYING DOWN/TRELLISING








COMPOSTABLE IN PRESSED WOODEN FIBERS

code SGR011CRT			
	 11 mm	LOADING CAPACITY: 8,5 Kg SUITABLE FOR Ø1.2 TO Ø2.8 WIRES AND FOR PP TWINE	1000 clips made of PRESSED WOODEN FIBERS for manual tying down/trellising. One box 50 cm x 40 cm x 20 cm contains 10 bags. F.D.A. Certification Compostable No addition of glue, synthetic binder or heavy metal, but just pine resin
code SGR012CRT			
	 12 mm	LOADING CAPACITY: 8,5 Kg SUITABLE FOR Ø1.2 TO Ø2.8 WIRES AND FOR PP TWINE	1000 clips made of PRESSED WOODEN FIBERS for manual tying down/trellising. One box 50 cm x 40 cm x 20 cm contains 10 bags. F.D.A. Certification Compostable No addition of glue, synthetic binder or heavy metal, but just pine resin
code SGR031CRT			
	 31 mm	LOADING CAPACITY: 17,5 Kg SUITABLE FOR Ø1.2 TO Ø2.8 WIRES AND FOR PP TWINE	500 clips made of PRESSED WOODEN FIBERS for manual tying down/trellising. One box 60 cm x 40 cm x 30 cm contains 15 bags. F.D.A. Certification Compostable No addition of glue, synthetic binder or heavy metal, but just pine resin

PHOTODEGRADABLE



code SGRCIAFD			
	 17 mm	LOADING CAPACITY: 10 Kg SUITABLE FOR Ø1.2 TO Ø2.8 WIRES AND FOR PP TWINE	2500 PHOTODEGRADABLE clips for manual tying down/trellising. One box 40 cm x 40 cm x 50 cm contains 10 bags. Each pallet consists of 18 boxes. F.D.A. Certification
code SGR135FD			
	 28 mm	LOADING CAPACITY: 12 Kg SUITABLE FOR Ø1.2 TO Ø2.8 WIRES AND FOR PP TWINE	1000 PHOTODEGRADABLE clips for manual tying down/trellising. One box 40 cm x 40 cm x 43 cm contains 20 bags. Each pallet consists of 18 boxes. F.D.A. Certification
code SGR063FD			
	 50 mm	LOADING CAPACITY: 10 Kg SUITABLE FOR Ø1.2 TO Ø2.8 WIRES AND FOR PP TWINE	1000 PHOTODEGRADABLE clips for manual tying down/trellising. One box 40 cm x 40 cm x 43 cm contains 10 bags. Each pallet consists of 18 boxes. F.D.A. Certification

REUSABLE

code SGRCIANB			
	 17 mm	LOADING CAPACITY: 10 Kg SUITABLE FOR Ø1.2 TO Ø2.8 WIRES AND FOR PP TWINE	2500 REUSABLE clips for manual tying down/trellising. One box 40 cm x 40 cm x 50 cm contains 10 bags. Each pallet consists of 18 boxes. F.D.A. Certification ANTI UV UV-stabilized
code SGRCIANA			
	 17 mm	LOADING CAPACITY: 13 Kg SUITABLE FOR Ø1.2 TO Ø2.8 WIRES AND FOR PP TWINE	2500 REUSABLE clips for manual tying down/trellising. One box 40 cm x 40 cm x 50 cm contains 10 bags. Each pallet consists of 18 boxes. F.D.A. Certification ANTI UV UV-stabilized
code SGRCIANR			
	 17 mm	LOADING CAPACITY: 16 Kg SUITABLE FOR Ø1.2 TO Ø2.8 WIRES AND FOR PP TWINE	2500 REUSABLE clips for manual tying down/trellising. One box 40 cm x 40 cm x 50 cm contains 10 bags. Each pallet consists of 18 boxes. F.D.A. Certification ANTI UV UV-stabilized
code SGRCICN			
	 17 mm	LOADING CAPACITY: 16 Kg SUITABLE FOR Ø1.2 TO Ø2.8 WIRES AND FOR PP TWINE	2500 ONE-SIDE-CLOSED REUSABLE clips for manual tying down/trellising. The closed side allows to let the clip hanging on one wire to be re-use the following year. One box 40 cm x 40 cm x 50 cm contains 10 bags. Each pallet consists of 18 boxes. F.D.A. Certification ANTI UV UV-stabilized
code SGR135NB			
	 28 mm	LOADING CAPACITY: 13 Kg SUITABLE FOR Ø1.2 TO Ø2.8 WIRES AND FOR PP TWINE	1000 REUSABLE clips for manual tying down/trellising. One box 40 cm x 40 cm x 43 cm contains 20 bags. Each pallet consists of 18 boxes. F.D.A. Certification ANTI UV UV-stabilized
code SGR135NR			
	 28 mm	LOADING CAPACITY: 16 Kg SUITABLE FOR Ø1.2 TO Ø2.8 WIRES AND FOR PP TWINE	1000 REUSABLE clips for manual tying down/trellising. One box 40 cm x 40 cm x 43 cm contains 20 bags. Each pallet consists of 18 boxes. F.D.A. Certification ANTI UV UV-stabilized
code SGR135NG			
	 28 mm	LOADING CAPACITY: 18 Kg SUITABLE FOR Ø1.2 TO Ø2.8 WIRES AND FOR PP TWINE	1000 REUSABLE clips for manual tying down/trellising. One box 40 cm x 40 cm x 43 cm contains 20 bags. Each pallet consists of 18 boxes. F.D.A. Certification ANTI UV UV-stabilized

REUSABLE

code SGR050N



LOADING CAPACITY: 15 Kg


SUITABLE FOR
Ø1.2 TO Ø2.8 WIRES
AND FOR PP TWINE

F.D.A. Certification

ANTI UV UV-stabilized

1000 REUSABLE, ANTI-RELEASE clips for manual tying down/trellising.
One box 60 cm x 40 cm x 40 cm contains 30 bags.
Each pallet consists of 12 boxes.

code SGR062N



LOADING CAPACITY: 15 Kg


SUITABLE FOR
Ø1.2 TO Ø2.8 WIRES
AND FOR PP TWINE

F.D.A. Certification

ANTI UV UV-stabilized

1000 REUSABLE clips for manual tying down/trellising.
One box 40 cm x 40 cm x 43 cm contains 10 bags.
Each pallet consists of 18 boxes.

code SGR063N



LOADING CAPACITY: 18 Kg

SUITABLE FOR
Ø1.2 TO Ø2.8 WIRES
AND FOR PP TWINE

F.D.A. Certification

ANTI UV UV-stabilized

1000 REUSABLE clips for manual tying down/trellising.
One box 40 cm x 40 cm x 43 cm contains 10 bags.
Each pallet consists of 18 boxes.



CLIPS FOR WIRE LIFTERS


VOLENTIERI - PELLENC (MOD. LIV AND RVL)

code BGR035N



Original Code Reference:
3700062VP

Plastic clips for wire lifters.
Each reel is made of 1500 staples.
Sold in packages of 12 reels.
Each pallet contains 24 packages.




F.D.A. Certification

code BGR035B



Original Code Reference:
-

BIODEGRADABLE clips for wire lifters.
Each reel is made of 1500 staples.
Sold in packages of 12 reels.
Each pallet contains 24 packages.



F.D.A. Certification


Biodegradability certified according to the specifications UNI EN ISO 14855

code BGR063N



Original Code Reference:
3700061VP

Plastic clips for wire lifters.
Each reel is made of 1500 staples.
Sold in packages of 8 reels.
Each pallet contains 24 packages.




F.D.A. Certification

code BGR063B



Original Code Reference:
-

BIODEGRADABLE clips for wire lifters.
Each reel is made of 1500 staples.
Sold in packages of 8 reels.
Each pallet contains 24 packages.



F.D.A. Certification

Biodegradability certified according to the specifications UNI EN ISO 14855


AVA TORDABLE

code BGRT50N



Original Code Reference:
-

Plastic clips for wire lifters.
Each reel is made of 1200 staples.
Sold in packages of 10 reels.
Each pallet contains 24 packages.



F.D.A. Certification


AVA TORDABLE

code BGRT50B



Original Code Reference:
-

BIODEGRADABLE clips for wire lifters.
Each reel is made of 1200 staples.
Sold in packages of 10 reels.
Each pallet contains 24 packages.



F.D.A. Certification

Biodegradability certified according to the specifications UNI EN ISO 14855


IMECA

code BGR150N



Original Code Reference:
-

Plastic clips for wire lifters.
Each reel is made of 1200 staples.
Sold in packages of 10 reels.
Each pallet contains 24 packages.




F.D.A. Certification

code BGR150B



Original Code Reference:
-

BIODEGRADABLE clips for wire lifters.
Each reel is made of 1200 staples.
Sold in packages of 10 reels.
Each pallet contains 24 packages.



F.D.A. Certification

Biodegradability certified according to the specifications UNI EN ISO 14855

VOLENTIERI

code BGRVOLR



Metal clips for wire lifters.
Each reel is made of 1000 staples.
Sold in packages of 24 reels.

COMPATIBLE PARTS FOR VOLENTIERI-PELLENC WIRE LIFTERS (MOD. LIV, LVA)
AND PELLENC (MOD. RVL)

code GRLEGLC



Original Code Reference:
-
Compatible stapler for Volentieri-Pellenc wire lifters mod. LIV, LVA and Pellenc mod. RVL.

code 22291LC



Original Code Reference:
883622291
Left hand for Volentieri-Pellenc wire lifters mod. LIV, LVA and Pellenc mod. RVL.

code 22204LC



Original Code Reference:
883622204
Right hand for Volentieri-Pellenc wire lifters mod. LIV, LVA and Pellenc mod. RVL.

code 9293PEL



Original Code Reference:
-
Gas spring for Volentieri-Pellenc wire lifters mod. LIV, LVA and Pellenc mod. RVL.

code 19LEPEL



Original Code Reference:
42614, 630102341
Supporting plate for Volentieri-Pellenc wire lifters mod. LIV, LVA and Pellenc mod. RVL.

code 70002LC



Original Code Reference:
080700002
Belt motor for Volentieri-Pellenc wire lifters mod. LIV and LVA.

code GUMOLEG



Original Code Reference:
-
Belt motor seal kit for Volentieri-Pellenc wire lifters mod. LIV and LVA.

code 01003LC



Original Code Reference:
040301003
Bearing of the arm for Volentieri-Pellenc wire lifters mod. LIV and LVA.

code 01LEPEL



Original Code Reference:
11143
Compatible steel tooth for Volentieri-Pellenc wire lifters mod. LIV and Pellenc mod. RVL.

code 02LEPEL



Original Code Reference:
09574
Compatible guillotine for Volentieri-Pellenc wire lifters mod. LIV and Pellenc mod. RVL.

code 03LEPEL



Original Code Reference:
05546
Compatible fork for Volentieri-Pellenc wire lifters mod. LIV and Pellenc mod. RVL.

code 04LEPEL



Original Code Reference:
04884
Compatible pince for Volentieri-Pellenc wire lifters mod. LIV and Pellenc mod. RVL.



COMPATIBLE PARTS FOR WIRE LIFTER

COMPATIBLE PARTS FOR VOLENTIERI-PELLENC WIRE LIFTERS (MOD. LIV, LVA)
AND PELLENC (MOD. RVL)

<p>code 05LEPEL</p>  <p>Original Code Reference: 883619911</p> <p>Compatible solenoid valve for Volentieri-Pellenc wire lifters mod. LIV and Pellenc mod. RVL.</p>	<p>code 06LEPEL</p>  <p>Original Code Reference: -</p> <p>Compatible bushing for Volentieri-Pellenc wire lifters mod. LIV and Pellenc mod. RVL.</p>
<p>code 07LEPEL</p>  <p>Original Code Reference: 630102101</p> <p>Compatible long toothed belt for Volentieri-Pellenc wire lifters mod. LIV. Length: 3780 mm.</p>	<p>code 00025LC</p>  <p>NEW</p> <p>Original Code Reference: 081300025</p> <p>Cartridge filter control unit for Volentieri-Pellenc wire lifters mod. LIV and LVA.</p>
<p>code 08LEPEL</p>  <p>Original Code Reference: 630102097</p> <p>Compatible side dimpled belt for Volentieri-Pellenc wire lifters mod. LIV.</p>	<p>code 09LEPEL</p>  <p>Original Code Reference: 22555, 22554</p> <p>Compatible stapling tooth for Volentieri-Pellenc wire lifters mod. LIV.</p>
<p>code 10LEPEL</p>  <p>Original Code Reference: 630101034</p> <p>Compatible chain case for Volentieri-Pellenc wire lifters mod. LIV.</p>	<p>code 11LEPEL</p>  <p>Original Code Reference: 630102020</p> <p>Compatible chain case cover for Volentieri-Pellenc wire lifters mod. LIV.</p>
<p>code 12LEPEL</p>  <p>Original Code Reference: 070103001</p> <p>Compatible plastic pulley for Volentieri-Pellenc wire lifters mod. LIV.</p>	<p>code 13LEPEL</p>  <p>Original Code Reference: 300000922</p> <p>Compatible central compating smooth belt for Volentieri-Pellenc wire lifters mod. LIV.</p>
<p>code 16LEPEL</p>  <p>Original Code Reference: 070103002</p> <p>Compatible toothed pulley belt for Volentieri-Pellenc wire lifters mod. LIV.</p>	<p>code 17LEPEL</p>  <p>Original Code Reference: 630102014</p> <p>Compatible drive pulley frame for Volentieri-Pellenc wire lifters mod. LIV.</p>

COMPATIBLE PARTS FOR VOLENTIERI-PELLENC WIRE LIFTERS (MOD. LIV, LVA)
AND PELLENC (MOD. RVL)

<p>code 15LEPEL</p>  <p>Original Code Reference: 883631466</p> <p>Compatible drive pulley for Pellenc wire lifters mod. RVL.</p>	<p>code 18LEPEL</p>  <p>Original Code Reference: 883622378</p> <p>Compatible pulley for Pellenc wire lifters mod. RVL.</p>
<p>code 09127LC</p>  <p>NEW</p> <p>Original Code Reference: 09127</p> <p>Bearing of the pulling wheel for Volentieri-Pellenc wire lifters mod. RVL.</p>	<p>code 31517LC</p>  <p>NEW</p> <p>Original Code Reference: 31517</p> <p>SPZ 710 belt for Volentieri-Pellenc wire lifters mod. RVL.</p>
<p>code 00845LC</p>  <p>NEW</p> <p>Original Code Reference: 300000845</p> <p>Central electrovalve for wire lifters.</p>	



VARIED ITEMS FOR TYING DOWN

PP TWINE

code PP150XX



Original Code Reference:
-

Polypropylene twine.
"Titolo 150" Sold in spool of 130 m/Kg.
Supplied in packages of 2 spools of 5 Kg each.
Each pallet contains 80 packages.

UV-stabilized

code PP350XX



Original Code Reference:
-

Polypropylene twine.
"Titolo 350" Sold in spool of 300 m/Kg.
Supplied in packages of 2 spools of 5 Kg each.
Each pallet contains 80 packages.

UV-stabilized

code PP500XX



Original Code Reference:
-

Polypropylene twine.
"Titolo 500" Sold in spool of 450 m/Kg.
Supplied in packages of 2 spools of 5 Kg each.
Each pallet contains 80 packages.

UV-stabilized

code PP750XX



Original Code Reference:
-

Polypropylene twine.
"Titolo 750" Sold in spool of 700 m/Kg.
Supplied in packages of 2 spools of 5 Kg each.
Each pallet contains 80 packages.

UV-stabilized

COATED TIES

code MA12CRT



Original Code Reference:
-

Bundle of 1000 pcs of 12 cm long coated ties.
Available in packages of 100 pcs.

code MA15CRT



Original Code Reference:
-

Bundle of 1000 pcs of 15 cm long coated ties.
Available in packages of 80 pcs.

code MA20CRT



Original Code Reference:
-

Bundle of 1000 pcs of 20 cm long coated ties.
Available in packages of 60 pcs.

code MA15RIT



Original Code Reference:
-

Bundle of 1000 pcs of 15 cm long twisted coated ties.
Available in packages of 90 pcs.

BATFIX RUBBER ANCHOR BAND

code BTFIX03



Original Code Reference:
-

700 pcs rubber anchor band Batfix 3 cm.
1 bag weights 0.670 Kg.
Available in carton boxes of 20 bags.
Each pallet contains 42 packages.

UV-stabilized

code BTFIX05



Original Code Reference:
-

500 pcs rubber anchor band Batfix 5 cm.
1 bag weights 0.620 Kg.
Available in carton boxes of 20 bags.
Each pallet contains 42 packages.

UV-stabilized

code BTFIX08



Original Code Reference:
-

300 pcs rubber anchor band Batfix 8 cm.
1 bag weights 0.583 Kg.
Available in carton boxes of 20 bags.
Each pallet contains 42 packages.

UV-stabilized

code BTFIX10



Original Code Reference:
-

250 pcs rubber anchor band Batfix 10 cm.
1 bag weights 0.700 Kg.
Available in carton boxes of 20 bags.
Each pallet contains 42 packages.

UV-stabilized

BATFIX RUBBER ANCHOR BAND

<p>code BTFIX12</p>  <p>Original Code Reference: -</p> <p>200 pcs rubber anchor band Batfix 12 cm. 1 bag weights 0.680 Kg. Available in carton boxes of 20 bags. Each pallet contains 42 packages.</p> <p>ANTI UV UV-stabilized</p>	<p>code BTFIX16</p>  <p>Original Code Reference: -</p> <p>150 pcs rubber anchor band Batfix 16 cm. 1 bag weights 0.690 Kg. Available in carton boxes of 20 bags. Each pallet contains 42 packages.</p> <p>ANTI UV UV-stabilized</p>
<p>code BTFIX20</p>  <p>Original Code Reference: -</p> <p>125 pcs rubber anchor band Batfix 20 cm. 1 bag weights 0.620 Kg. Available in carton boxes of 20 bags. Each pallet contains 42 packages.</p> <p>ANTI UV UV-stabilized</p>	<p>code ANFIX08</p>  <p>Original Code Reference: -</p> <p>600 pcs rubber anchor band Anfix 8 cm. 1 bag weights 0.980 Kg. Available in carton boxes of 20 bags. Each pallet contains 35 boxes.</p> <p>ANTI UV UV-stabilized</p>

PVC - PHOTODEGRADABLE - BIODEGRADABLE TUBING

<p>code PVS20TUB</p>  <p>Original Code Reference: -</p> <p>Green PVC tubing. 300 m/Kg reel, diameter 2 mm. Available in packages of 12 reels. Each pallet contains 576 reels.</p>	<p>code PVS25TUB</p>  <p>Original Code Reference: -</p> <p>Green PVC tubing. 240 m/Kg reel, diameter 2 mm. Available in packages of 12 reels. Each pallet contains 576 reels.</p>
<p>code PVS30TUB</p>  <p>Original Code Reference: -</p> <p>Green PVC tubing. 210 m/Kg reel, diameter 3 mm. Available in packages of 12 reels. Each pallet contains 576 reels.</p>	<p>code PVS35TUB</p>  <p>Original Code Reference: -</p> <p>Green PVC tubing. 145 m/Kg reel, diameter 3.5 mm, sold in net container. Available in packages of 12 reels. Each pallet contains 576 reels.</p>
<p>code PVS40TUB</p>  <p>Original Code Reference: -</p> <p>Green PVC tubing. 135 m/Kg reel, diameter 4 mm. Available in packages of 12 reels. Each pallet contains 576 reels.</p>	<p>code PVS45TUB</p>  <p>Original Code Reference: -</p> <p>Green PVC tubing. 120 m/Kg reel, diameter 4.5 mm. Available in packages of 12 reels. Each pallet contains 576 reels.</p>
<p>code PVS50TUB</p>  <p>Original Code Reference: -</p> <p>Green PVC tubing. 105 m/Kg reel, diameter 5 mm. Available in packages of 12 reels. Each pallet contains 576 reels.</p>	<p>code PVS20TUBM</p>  <p>Original Code Reference: -</p> <p>Brown PVC tubing. 300 m/Kg reel, diameter 2 mm. Available in packages of 12 reels. Each pallet contains 576 reels.</p>

PVC - PHOTODEGRADABLE - BIODEGRADABLE TUBING

<p>code PVS25TUBM</p>  <p>Original Code Reference: -</p> <p>Brown PVC tubing. 240 m/Kg reel, diameter 2 mm. Available in packages of 12 reels. Each pallet contains 576 reels.</p>	<p>code PVS30TUBM</p>  <p>Original Code Reference: -</p> <p>Brown PVC tubing. 210 m/Kg reel, diameter 3 mm. Available in packages of 12 reels. Each pallet contains 576 reels.</p>
<p>code PVS35TUBM</p>  <p>Original Code Reference: -</p> <p>Brown PVC tubing. 145 m/Kg reel, diameter 3.5 mm, sold in net container. Available in packages of 12 reels. Each pallet contains 576 reels.</p>	<p>code PVS40TUBM</p>  <p>Original Code Reference: -</p> <p>Brown PVC tubing. 135 m/Kg reel, diameter 4 mm. Available in packages of 12 reels. Each pallet contains 576 reels.</p>
<p>code PVS45TUBM</p>  <p>Original Code Reference: -</p> <p>Brown PVC tubing. 120 m/Kg reel, diameter 4.5 mm. Available in packages of 12 reels. Each pallet contains 576 reels.</p>	<p>code PVS50TUBM</p>  <p>Original Code Reference: -</p> <p>Brown PVC tubing. 105 m/Kg reel, diameter 5 mm. Available in packages of 12 reels. Each pallet contains 576 reels.</p>
<p>code PV20TUB</p>  <p>Original Code Reference: -</p> <p>Green PVC tubing. 300 m/Kg reel, diameter 2 mm, sold in net container. Available in packages of 12 reels. Each pallet contains 576 reels.</p>	<p>code PV25TUB</p>  <p>Original Code Reference: -</p> <p>Green PVC tubing. 240 m/Kg reel, diameter 2 mm, sold in net container. Available in packages of 12 reels. Each pallet contains 576 reels.</p>
<p>code PV30TUB</p>  <p>Original Code Reference: -</p> <p>Green PVC tubing. 210 m/Kg reel, diameter 3 mm, sold in net container. Available in packages of 12 reels. Each pallet contains 576 reels.</p>	<p>code PV35TUB</p>  <p>Original Code Reference: -</p> <p>Green PVC tubing. 145 m reel, diameter 3 mm, sold in net container. Available in packages of 12 reels. Each pallet contains 576 reels.</p>
<p>code PV40TUB</p>  <p>Original Code Reference: -</p> <p>Green PVC tubing. 135 m/Kg reel, diameter 4 mm, sold in net container. Available in packages of 12 reels. Each pallet contains 576 reels.</p>	<p>code PV45TUB</p>  <p>Original Code Reference: -</p> <p>Green PVC tubing. 120 m/Kg reel, diameter 4.5 mm, sold in net container. Available in packages of 12 reels. Each pallet contains 576 reels.</p>

PVC - PHOTODEGRADABLE - BIODEGRADABLE TUBING

<p>code PV50TUB</p>  <p>Original Code Reference: -</p> <p>Green PVC tubing. 105 m/Kg reel, diameter 5 mm, sold in net container. Available in packages of 12 reels. Each pallet contains 576 reels.</p>	<p>code PV20TUBM</p>  <p>Original Code Reference: -</p> <p>Brown PVC tubing. 300 m/Kg reel, diameter 2 mm, sold in net container. Available in packages of 12 reels. Each pallet contains 576 reels.</p>
<p>code PV25TUBM</p>  <p>Original Code Reference: -</p> <p>Brown PVC tubing. 240 m/Kg reel, diameter 2 mm, sold in net container. Available in packages of 12 reels. Each pallet contains 576 reels.</p>	<p>code PV30TUBM</p>  <p>Original Code Reference: -</p> <p>Brown PVC tubing. 210 m/Kg reel, diameter 3 mm, sold in net container. Available in packages of 12 reels. Each pallet contains 576 reels.</p>
<p>code PV35TUBM</p>  <p>Original Code Reference: -</p> <p>Brown PVC tubing. 145 m reel, diameter 3 mm, sold in net container. Available in packages of 12 reels. Each pallet contains 576 reels.</p>	<p>code PV40TUBM</p>  <p>Original Code Reference: -</p> <p>Brown PVC tubing. 135 m/Kg reel, diameter 4 mm, sold in net container. Available in packages of 12 reels. Each pallet contains 576 reels.</p>
<p>code PV45TUBM</p>  <p>Original Code Reference: -</p> <p>Brown PVC tubing. 120 m/Kg reel, diameter 4.5 mm, sold in net container. Available in packages of 12 reels. Each pallet contains 576 reels.</p>	<p>code PV50TUBM</p>  <p>Original Code Reference: -</p> <p>Brown PVC tubing. 105 m/Kg reel, diameter 5 mm, sold in net container. Available in packages of 12 reels. Each pallet contains 576 reels.</p>
<p>code PP20TUB</p>  <p>Original Code Reference: -</p> <p>PHOTODEGRADABLE tubing, neutral. 100 m reel, diameter 2 mm, sold in net container. Available in packages of 18 reels. Each pallet contains 1134 reels.</p>	<p>code PP30TUB</p>  <p>Original Code Reference: -</p> <p>PHOTODEGRADABLE tubing, neutral. 100 m reel, diameter 3 mm, sold in net container. Available in packages of 18 reels. Each pallet contains 648 reels.</p>
<p>code PP40TUB</p>  <p>Original Code Reference: -</p> <p>PHOTODEGRADABLE tubing, neutral. 100 m reel, diameter 4 mm, sold in net container. Available in packages of 18 reels. Each pallet contains 648 reels.</p>	<p>code PP50TUB</p>  <p>Original Code Reference: -</p> <p>PHOTODEGRADABLE tubing, neutral. 100 m reel, diameter 5 mm, sold in net container. Available in packages of 18 reels. Each pallet contains 648 reels.</p>

PVC - PHOTODEGRADABLE - BIODEGRADABLE TUBING

<p>code PP20TUBM</p>  <p>Original Code Reference: -</p> <p>PHOTODEGRADABLE tubing, brown. 100 m reel, diameter 2 mm, sold in net container. Available in packages of 18 reels. Each pallet contains 1134 reels.</p>	<p>code PP30TUBM</p>  <p>Original Code Reference: -</p> <p>PHOTODEGRADABLE tubing, brown. 100 m reel, diameter 3 mm, sold in net container. Available in packages of 18 reels. Each pallet contains 1134 reels.</p>
<p>code PP40TUBM</p>  <p>Original Code Reference: -</p> <p>PHOTODEGRADABLE tubing, brown. 100 m reel, diameter 4 mm, sold in net container. Available in packages of 18 reels. Each pallet contains 648 reels.</p>	<p>code PP50TUBM</p>  <p>Original Code Reference: -</p> <p>PHOTODEGRADABLE tubing, brown. 100 m reel, diameter 5 mm, sold in net container. Available in packages of 18 reels. Each pallet contains 648 reels.</p>
<p>code PL30TUB</p>  <p>Original Code Reference: -</p> <p>BIODEGRADABLE tube, 100% plant origin. 100 m reel, diameter 3 mm, sold in net container. Available in packages of 30 reels.</p>	

LYCRA AND COTTON

<p>code 302202LC</p>  <p>Original Code Reference: -</p> <p>Black lycra. 85 m reel. Available in packages of 10 reels. Each pallet contains 35 packages.</p>	<p>code 302232LC</p>  <p>Original Code Reference: -</p> <p>Black elastic cotton thread. 100 m reel. Available in packages of 10 reels. Each pallet contains 70 packages.</p>
---	--

ACCESSORIES

<p>code 304002LC</p>  <p>Original Code Reference: -</p> <p>Bag for PVC tubing reels with LaCruz logo. Available in packages of 3, 10 or 50 pcs.</p>	<p>code 304050LC</p>  <p>Original Code Reference: -</p> <p>Cutter ring for PVC tubing. Available in packages of 3, 25 or 100 pcs.</p>
---	---

MANUAL TYING MACHINES AND ACCESSORIES

<p>code 501004LC</p>  <p>Original Code Reference: -</p> <p>Max HR-F binder. PVC tubing tier stapler. Available in packages of 20 pcs.</p> <p>MAX</p>	<p>code 503003LC</p>  <p>Original Code Reference: -</p> <p>1000 staples for MAX binder mod HR-F. Available in packages of 10 pcs.</p> <p>MAX</p>
<p>code 501008LC</p>  <p>Original Code Reference: -</p> <p>MAX tying tapener gun. Model HT-R1. Available in packages of 20 pcs.</p> <p>MAX </p>	<p>code 503002LC</p>  <p>Original Code Reference: -</p> <p>4800 metal staples 6 X 4 mm for MAX tying tapener gun. Available in packages of 10 pcs.</p> <p>MAX</p>
<p>code 501010LC</p>  <p>Original Code Reference: -</p> <p>3 blades for MAX tying tapener gun mod. HT-B and HT-B(NL). Each packaging contains 30 sets.</p>	<p>code 501011LC</p>  <p>Original Code Reference: -</p> <p>2 blades for MAX tying tapener gun mod. HT-R. Each packaging contains 30 sets.</p>
<p>code TAPE10</p>  <p>Original Code Reference: -</p> <p>10 rolls of PVC tape. Thickness of 0.10 mm. Tape length 40 m. Available in boxes of 40 pieces.</p>	<p>code TAPE15</p>  <p>Original Code Reference: -</p> <p>10 rolls of PVC tape. Thickness of 0.15 mm. Tape length 26 m. Available in boxes of 30 pieces.</p>
<p>code TAPE25</p>  <p>Original Code Reference: -</p> <p>10 rolls of PVC tape. Thickness of 0.25 mm. Tape length 16 m. Available in boxes of 40 pieces.</p>	<p>code TAPE10LC</p>  <p>Original Code Reference: -</p> <p>BIO PLA biodegradable tape. Thickness 0.10 mm. Tape length 40 m. Olive green color. Tape length 40 m. Available in boxes of 30 pieces.</p> <p>BIO Biodegradability certified according to the specifications UNI EN ISO 14855</p>
<p>code LEG01LC</p>  <p>Original Code Reference: -</p> <p>COUTALE manual tying tool with Ø 40 mm opening.</p>	<p>code BBMRCTB</p>  <p>Original Code Reference: -</p> <p>100 m reel of standard tie for tying tool mod. COUTALE - Brown. Packages of 60 reels. Each pallet contains 60 packages.</p>

MANUAL TYING MACHINES AND ACCESSORIES

<p>code BBNECTB</p>  <p>Original Code Reference: -</p> <p>100 m reel of photodegradable tie for tying tool mod. COUTALE. Packages of 60 reels. Each pallet contains 60 packages.</p>	<p>code BBCRCTB</p>  <p>Original Code Reference: -</p> <p>100 m reel of paper tie for tying tool mod. COUTALE. Packages of 60 reels. Each pallet contains 60 packages.</p>
<p>code LEG03LC</p>  <p>Original Code Reference: -</p> <p>Semi-automatic tying tool for degradable binding wire.</p>	<p>code BBPICRT</p>  <p>Original Code Reference: -</p> <p>250 m roll of degradable binding wire for tying tools mod. LEG03LC and COUTALE.</p>
<p>code BBPI5CRT</p>  <p>Original Code Reference: -</p> <p>500 m roll of degradable binding wire for tying tools mod. LEG03LC and COUTALE.</p>	<p>code BB40ZLX</p>  <p>Original Code Reference: -</p> <p>110 m reel of galvanized wire for Ligatex and A3M tying machines - Ø 0.40 mm. Packages of 30 pcs.</p>
<p>code BB45ZLX</p>  <p>Original Code Reference: -</p> <p>90 m reel of galvanized wire for Ligatex and A3M tying machines - Ø 0.45 mm. Packages of 30 pcs.</p>	<p>code BB50ZLX</p>  <p>Original Code Reference: -</p> <p>80 m reel of galvanized wire for Ligatex and A3M tying machines - Ø 0.50 mm. Packages of 30 pcs.</p>
<p>code BB40PLX</p>  <p>Original Code Reference: -</p> <p>110 m reel of PP coated galvanized wire for Ligatex and A3M tying machines - Ø 0.40 mm. Packages of 30 pcs.</p>	<p>code BB40ZBL</p>  <p>Original Code Reference: -</p> <p>90 m reel of galvanized wire for tying tool mod. BELI - Ø 0.40 mm. Packages of 36 pcs.</p>
<p>code BB45ZBL</p>  <p>Original Code Reference: -</p> <p>80 m reel of galvanized wire for tying tool mod. BELI - Ø 0.45 mm. Packages of 36 pcs.</p>	<p>code BB50ZBL</p>  <p>Original Code Reference: -</p> <p>70 m reel of galvanized wire for tying tool mod. BELI - Ø 0.50 mm. Packages of 36 pcs.</p>

MANUAL TYING MACHINES AND ACCESSORIES

<p>code LEGA063</p> <p>Original Code Reference: -</p> <p>ATTALINK Ø 63 mm tying tool.</p>	<p>code KBBIA0R</p> <p>Original Code Reference: -</p> <p>Kit including 24 pcs 70 m reel of elastic tie for tying tool, beige color + 18 pcs 0.5 mm metal reel to crimp the elastic tie for ATTALINK.</p>
<p>code KBNER0R</p> <p>Original Code Reference: -</p> <p>Kit including 24 pcs 100 m reel of elastic tie for tying tool, black color + 20 pcs 0.5 mm metal reel to crimp the elastic tie for ATTALINK.</p>	<p>code LEGA0R3</p> <p>Original Code Reference: -</p> <p>0.5 mm metal reel to crimp the elastic tie of the tying tool ATTALINK. Packages of 18 pcs.</p>
<p>code BBLEGBI</p> <p>Original Code Reference: -</p> <p>70 m reel of elastic tie for tying tool mod. ATTALINK. Ecru color.</p>	<p>code BBLEGBNE</p> <p>Original Code Reference: -</p> <p>100 m reel of elastic tie for tying tool mod. ATTALINK. Black color.</p>
<p>code LMLEG00</p> <p>Original Code Reference: -</p> <p>Replacement blade with screws for ATTALINK tying tool.</p>	

STAINLESS STEEL WIRE

<p>code 01GALC</p> <p>Original Code Reference: -</p> <p>Stainless steel tie for vine-shoot. Packages of 2000 pcs.</p>	<p>code 02GALC</p> <p>Original Code Reference: -</p> <p>Stainless steel wire stake locking, 6/10 Ø wire 1.60 mm. Packages of 2000 pcs.</p>
--	---

VINE PROTECTIONS

<p>code SH045TO</p> <p>Original Code Reference: -</p> <p>Cylindrical shelter tube. Height 45 cm. Supplied in sacks of 250 pcs.</p>	<p>code SH055TO</p> <p>Original Code Reference: -</p> <p>Cylindrical shelter tube. Height 55 cm. Supplied in sacks of 250 pcs.</p>
---	---

VINE PROTECTIONS

<p>code SH060TO</p> <p>Original Code Reference: -</p> <p>Cylindrical shelter tube. Height 60 cm. Supplied in sacks of 250 pcs.</p>	<p>code SH080TO</p> <p>Original Code Reference: -</p> <p>Cylindrical shelter tube. Height 80 cm. Supplied in sacks of 140 pcs.</p>
<p>code SH045TA</p> <p>Original Code Reference: -</p> <p>Open cylindrical shelter tube. Height 45 cm. Supplied in sacks of 250 pcs.</p>	<p>code SH060TA</p> <p>Original Code Reference: -</p> <p>Open cylindrical shelter tube. Height 60 cm. Supplied in sacks of 250 pcs.</p>
<p>code SH060SP</p> <p>Original Code Reference: -</p> <p>Open wrapped cylindrical shelter tube. Height 60 cm. Supplied in sacks of 252 pcs.</p>	<p>code SH060QC</p> <p>Original Code Reference: -</p> <p>Closed squared vine protection. Height 60 cm. Supplied in sacks of 300 pcs. 1 pallet contains 2700 pcs.</p>
<p>code SH050QA</p> <p>Original Code Reference: -</p> <p>Open squared vine protection. Height 50 cm. 1 pallet contains 3300 pcs.</p>	<p>code SH060BIO</p> <p>Original Code Reference: -</p> <p>Closed squared vine protection in virgin pine fiber, 100% BIODEGRADABLE. Height 60 cm.</p>



REPLACEMENT BATTERIES FOR POWER TOOLS

<p>code P2000CD</p> 	<p>Original Code Reference: -</p> <p>Battery pack for P2000. NI-CD. 3000 mAh. 26.4 V.</p>	<p>code P2000MH</p> 	<p>Original Code Reference: -</p> <p>Battery pack for P2000. NI-MH. 4500 mAh. 26.4 V.</p>
<p>code P0025CD</p> 	<p>Original Code Reference: -</p> <p>Battery pack for AP25 and FIXION. NI-CD. 3000 mAh. 14,4 V.</p>	<p>code P0025MH</p> 	<p>Original Code Reference: -</p> <p>Battery pack for AP25 and FIXION. NI-MH. 4500 mAh. 14,4 V.</p>
<p>code LIXLOAD</p> 	<p>Original Code Reference: -</p> <p>Battery pack for Lixion, F800 and F810. 5200mAh. 44,4 V.</p>	<p>code F3032KK</p> 	<p>Original Code Reference: -</p> <p>F3000 / 3002 Electrocup battery pack. NI-MH. 3800 mAh. 48 V.</p>
<p>code F3545KK</p> 	<p>Original Code Reference: -</p> <p>F4005 Electrocup battery pack. NI-MH. 3800 mAh. 48 V.</p>	<p>code F3005KK</p> 	<p>Original Code Reference: -</p> <p>F3005 Electrocup battery pack. NI-MH. 3800 mAh. 48 V.</p>
<p>code F3010KK</p> 	<p>Original Code Reference: -</p> <p>F3010 Electrocup battery pack. NI-MH. 3300 mAh. 48 V.</p>	<p>code F8212KK</p> 	<p>Original Code Reference: -</p> <p>Battery pack for Felco F82 1/2J (half day). NI-CD. 2800 mAh. 24 V.</p>
<p>code F8224KK</p> 	<p>Original Code Reference: -</p> <p>Battery pack for Felco F82 J (full day). NI-CD. 5000 mAh. 24 V.</p>	<p>code F8224XX</p> 	<p>Original Code Reference: -</p> <p>Battery pack for Felco F82 J (full day). NI-CD. 9500 mAh. 24 V.</p>
<p>code C0535KK</p> 	<p>Original Code Reference: -</p> <p>Battery pack for Campagnola Tronic Star. NI-MH. 3800 mAh. 48 V.</p>		



ELECTRONIC PRUNING SHEARS

ELECTRONIC PRUNING SHEARS



MAX - PELLENC - PNEUMATIC

code PASJ301



Original Code Reference:
-
Max Pruning shears PASJ301.

code PA10521LC



Original Code Reference:
-
Blade for Max pruning shears for vineyards (Ø 30 mm)

code PA10522



Original Code Reference:
-
Anvil blade for PASJ301.

code PA70166



Original Code Reference:
-
Power cable for PASJ301.

code PA70192



Original Code Reference:
-
Optional cable, 3m, for PASJ301.

code PJ99945



Original Code Reference:
-
Lithium-ion battery for PASJ301.

code PA70179



Original Code Reference:
-
Control board for PASJ301 pruning shear.

code 100305LC



Original Code Reference:
-
Kit blade for LIXION EVO II.

code 87057LC



Original Code Reference:
-
Kit blade for LIXION EVO I.

code 53490LC



Original Code Reference:
-
Blade for PELLENC mod. VINION.

code IN507LC



Original Code Reference:
-
Blade for INFACO mod. F3002 and F3005.

code ART90LC



Original Code Reference:
-
Pneumatic Pruner mod. 90.



ELECTRONIC TYING MACHINES

ELECTRONIC TYING MACHINES



PELLENC (AP25 / FIXION / FIXION2) - 200 M

code BBMRPEL



Original Code Reference:
-

200 m reel of standard tie for AP25, FIXION and FIXION 2 electronic tying machines - Brown. Packages of 40 reels. Each pallet contains 40 packages.

code BBNEPEL



Original Code Reference:
-

200 m reel of photodegradable tie for AP25, FIXION and FIXION 2 electronic tying machines - Neutral. Packages of 40 reels. Each pallet contains 40 packages.

code BBCRPEL



Original Code Reference:
-

200 m reel of paper tie for AP25, FIXION and FIXION 2 electronic tying machines. Packages of 30 reels. Each pallet contains 50 packages.

code BBNXPEL



Original Code Reference:
-

200 m reel of stainless steel tie for AP25, FIXION and FIXION 2 electronic tying machines. Packages of 40 reels. Each pallet contains 40 packages.

code BIOFIX20



Original Code Reference:
-

200 m reel of tie made with biodegradable material for AP25, FIXION and FIXION 2 electronic tying machines. Packages of 40 reels. Each pallet contains 40 packages.

Made with material that complies with UNI EN 13432.

code 17982LC



Original Code Reference:
17982

Spare parts for PELLENC tying tool mod. AP25 and FIXION.

code 140588LC



Original Code Reference:
140588

Spare parts for PELLENC tying tool mod. FIXION 2.

code 160416LC



Original Code Reference:
160416

Spare parts for PELLENC tying tool mod. FIXION 2. New version.

code 17837LC



Original Code Reference:
17837

Rear plate for PELLENC tying tool mod. AP25, FIXION and FIXION 2.

code 17849LC



Original Code Reference:
17849

Twisting device for PELLENC tying tool mod. AP25, FIXION and FIXION 2.

code 17942LC



Original Code Reference:
17942

Hook for PELLENC tying tool mod. AP25, FIXION and FIXION 2.

code 17859LC



Original Code Reference:
17859

Upper rail for PELLENC tying tool mod. AP25 and FIXION.

PELLENC (AP25 / FIXION / FIXION2) - 200 M

code 133252LC



Original Code Reference:
133251 + 133252, 133099
Rail for PELLENC tying tool mod. FIXION 2.

code 155881LC



Original Code Reference:
133251 + 133252, 155881
Rail for PELLENC tying tool mod. FIXION 2. New version.

code 17841LC



Original Code Reference:
17841, 133092
Intermediate rail for PELLENC tying tool mod. AP25 and FIXION.

code 17841LC1



Original Code Reference:
-
Rail for PELLENC tying tool mod. FIXION 2.

code 17828LC



Original Code Reference:
17828
Pressure roller for PELLENC tying tool mod. AP25, FIXION and FIXION 2.

code 145024LC



Original Code Reference:
145024, 17985
Case kit for reel for PELLENC tying tool mod. AP25, FIXION and FIXION 2.

code 01053LC



Original Code Reference:
101053, 17802
Upper cover for PELLENC tying tool mod. AP25 and FIXION.

PELLENC (FIXION2) - 60 M

code BBMRFIX



Original Code Reference:
-
60 m reel of standard tie for FIXION 2 electronic tying machine - Brown. Packages of 60 reels. Each pallet contains 40 packages.

code BBNEFIX



Original Code Reference:
-
60 m reel of photodegradable tie for FIXION 2 electronic tying machine - Neutral. Packages of 60 reels. Each pallet contains 40 packages.

code BBCRFIX



Original Code Reference:
-
60 m reel of paper tie for FIXION 2 electronic tying machine. Packages of 60 reels. Each pallet contains 50 packages.

code BBNXFIX



Original Code Reference:
-
60 m reel of stainless steel tie for FIXION 2 electronic tying machine. Packages of 60 reels. Each pallet contains 40 packages.

PELLENC (FIXION2) - 60 M

code BIOFIX60



Original Code Reference:
-
60 m reel of tie made with biodegradable material for FIXION 2 electronic tying machine. Packages of 60 reels. Each pallet contains 40 packages.
Made with material that complies with UNI EN 13432.

CAMPAGNOLA / VOLPI / KAMIKAZE / AUSONIA / FPQ / KINGSON

code BBMRNLC



Original Code Reference:
-
90 m reel of tie for CAMPAGNOLA, VOLPI, KAMIKAZE, AUSONIA, FPQ, KINGSON electronic tying machines - Brown. Packages of 50 reels. Each pallet contains 60 packages.

code BBNEULC



Original Code Reference:
-
90 m reel of photodegradable tie for CAMPAGNOLA, VOLPI, KAMIKAZE, AUSONIA, FPQ, KINGSON electronic tying machines - Neutral. Packages of 50 reels. Each pallet contains 60 packages.

code BBCRTL



Original Code Reference:
-
90 m reel of paper tie for CAMPAGNOLA, VOLPI, KAMIKAZE, AUSONIA, FPQ, KINGSON electronic tying machines. Packages of 60 reels. Each pallet contains 40 packages.

code BBNIXLC



Original Code Reference:
-
90 m reel of stainless steel tie for CAMPAGNOLA, VOLPI, KAMIKAZE, AUSONIA, FPQ, KINGSON electronic tying machine. Packages of 50 reels. Each pallet contains 60 packages.

code BIOFIX90



Original Code Reference:
-
90 m reel of tie made with biodegradable material for CAMPAGNOLA, VOLPI, KAMIKAZE, AUSONIA, FPQ, KINGSON electronic tying machine. Packages of 50 reels. Each pallet contains 60 packages.
Made with material that complies with UNI EN 13432.

ZANON / MAGE

code BBMRZNN



Original Code Reference:
-
90 m reel of tie for ZANON ZL 25 electronic tying machines - Brown. Packages of 50 reels.

code BBZNBIO



Original Code Reference:
-
90 m reel of tie made with biodegradable material for ZANON ZL 25 electronic tying machine. Packages of 50 reels.
Made with material that complies with UNI EN 13432.

code BBMR4ZN



Original Code Reference:
-
400 m reel of standard tie for ZANON ZL 600.S and MAGE electronic tying machines - Brown - Ø 0.40 mm. Packages of 24 reels.

code BBNE4ZN



Original Code Reference:
-
400 m reel of photodegradable tie for ZANON ZL 600.S and MAGE electronic tying machines - Neutral - Ø 0.40 mm. Packages of 24 reels.

HANA / SPRINT40

code **BBMRHNA**



Original Code Reference:

70 m reel of standard tie for HANA and SPRINT40 electronic tying machines - Brown.
Packages of 40 pcs.

code **BBNEHNA**



Original Code Reference:

70 m reel of photodegradable tie for HANA and SPRINT40 electronic tying machines - Neutral.
Packages of 40 pcs.

code **BBCRHNA**



Original Code Reference:

70 m reel of paper tie for HANA and SPRINT40 electronic tying machines.
Packages of 40 pcs.



PARTS AND ACCESSORIES
FOR SHOOT REMOVERS

MANUAL SHOOT REMOVERS

code SPMA50LC



Original Code Reference:
-
Manual shoot remover 50 mm.

code SPMA65LC



Original Code Reference:
-
Manual shoot remover 65 mm.

code SPKR50LC



Original Code Reference:
-
Replacement kit for manual shoot remover 50 mm. For young vineyards.

code SPKR65LC



Original Code Reference:
-
Replacement kit for manual shoot remover 65 mm.

COMPATIBLE SPARE PARTS FOR SHOOT REMOVER

code FI06RONR



Original Code Reference:
-
Whip for shoot remover Ø 6 mm, round section, hardness 90 ShA. 100m roll.

code FI07RONR



Original Code Reference:
-
Whip for shoot remover Ø 7 mm, round section, hardness 90 ShA. 100m roll.

code FI08RONR



Original Code Reference:
-
Whip for shoot remover Ø 8 mm, round section, hardness 90 ShA. 100m roll.

code FI12OTNR




Original Code Reference:
-
Whip for AVA Tordable shoot remover Ø 12 mm, octagonal section, hardness 88 ShA. 50 m roll.

code 22751LC




Original Code Reference:
22751
Disc for AVA Tordable shoot remover medium size.

code 21115LC



Original Code Reference:
21115
512 mm long catcher tray for AVA Tordable shoot remover (until 2005).

code 21115LCA



Original Code Reference:
21115
452 mm long catcher tray for AVA Tordable shoot remover (since 2006).



COMPATIBLE SPARE PARTS FOR TRIMMERS


COMPATIBLE SPARE PARTS FOR PELLENC TRIMMER

code V1CIPEL



Original Code Reference:
882037853
Spiked fork blade for Pellenc.

code V2CSPEL



Original Code Reference:
882037840
Beaked fork blade for Pellenc.

code V5RILMA



Original Code Reference:
882016969
Rivet Ø5 x 12 mm.

code 01048LC




Original Code Reference:
730101048
Support for Pellenc fork blade. Length:
1894 mm.

code 01031LC



Original Code Reference:
730101031
Support for Pellenc spiked fork blade.
Length: 1894 mm.

code V8GDPEL



Original Code Reference:
882007749
27 cm long rail for blades.


COMPATIBLE SPARE PARTS FOR IMECA TRIMMER

code V3CIIMC



Original Code Reference:
-
Spiked fork blade for Imeca.

code V4CSIMC



Original Code Reference:
-
Beaked fork blade for Imeca.

code V9RIIMC



Original Code Reference:
-
Screw M6 x 10mm.


code V6GDIMC



Original Code Reference:
-
Rail for Imeca blades.

COMPATIBLE SPARE PARTS FOR ERO TRIMMER

code CODXERO



Original Code Reference:
FK300304
Right blade for Ero trimmer.

code COSXERO



Original Code Reference:
FK300303
Left blade for Ero trimmer.



COMPATIBLE SPARE PARTS
FOR PRE-PRUNERS

COMPATIBLE SPARE PARTS FOR PELLENC PRE-PRUNERS

code 32004LC

Original Code Reference:
32004, 06135 + 06133

Right blade + bolts for Pellenc pre-pruner.

code 32005LC

Original Code Reference:
32005, 06136 + 06133

Left blade + bolts for Pellenc pre-pruner.

code 01678LC

Original Code Reference:
01678, 06052 + 43155

Trident blade + bolts for Pellenc pre-pruner.

These general conditions govern the contractual sales relationships between LaCruz® S.r.l. (hereinafter Seller) and its customers (hereinafter Buyer), and form an integral part of the Purchase Proposal.

1. DEFINITIONS AND EFFECTIVENESS OF THE GENERAL CONDITIONS

In the purchase proposal/sale contract, the following definitions shall apply:

new: new machine;
overhauled: machine recently overhauled/reconditioned;
to be overhauled: used machine for which it is recommended to perform some maintenance / replacements / interventions to be agreed in advance with the customer;
seen and liked in the state in which it is: used machine;
not working: used machine out of order;

Any provisions that derogate from the provisions of the general purchase conditions will only be effective if expressly agreed and accepted in writing by the parties.

These general conditions shall be effective until they have been expressly revoked by the Seller or are replaced by new conditions that will become effective from the moment of the signing thereof.

2. ORDERS

The Purchase Proposal, also negotiated or discussed, sent to the Seller shall be considered definitive only if expressly accepted by the latter by signing thereof. The Purchase Proposal modified by the Seller will be understood as a new proposal and shall be expressly signed by the Buyer.

3. PRICE

The sale price is that resulting from the price list in force at the time of signing the purchase proposal, or the one negotiated between the parties and resulting in the same purchase proposal.

Unless otherwise established, the sale price is intended for goods packed according to the uses of the sector in relation to the agreed means of transport, as it is also understood that any other expense or charge shall be borne by the Buyer. Unless otherwise agreed in writing, the price does not include VAT, packaging, customs, transport and accessory costs.

Upon signing this contract, the Buyer will pay, where requested by the Seller, a sum indicated by the Seller, as a deposit. The Buyer's proposal shall become accepted and binding for the Seller at the time of signing thereof by both parties, together with the general sale conditions. Non-acceptance by the Seller may not give rise to claims for any compensation for damages and shall only result in the reimbursement of any sums already paid by the Buyer.

4. TRANSPORT OF GOODS

If a sale with transport by carrier has been agreed, the risks shall be transferred to the Purchaser with the delivery of the goods to the first carrier: any claims for breakages, deteriorations, tampering or shortcomings shall be reported to the carrier in accordance with the terms established by law, however appropriately notifying the Seller. Unless otherwise agreed in writing, delivery shall take place ex works at the Seller's factory in via Concordia 16 ZI-31046 Oderzo (Treviso). The Seller's obligation to deliver shall be deemed fulfilled when the same has provided the goods directly to the Buyer or to a carrier.

Any agreements notwithstanding the foregoing, also with reference to the associated risks, shall result in the Purchase Proposal and in the Sale Contract, in particular where transport methods are agreed as defined according to the Incoterms©2010.

5. EXPORT

In case of export of the purchased goods, the originator undertakes to obtain, at own expense, all the documents necessary for export (ex. export and customs permits, etc.). LaCruz shall not be liable for the lawfulness of the export of goods as well as for compliance thereof with the regulatory and technical requirements of the country of import. In addition, LaCruz shall also not be liable for the conformity of the goods to the technical level of the importing country.

6. DELIVERY TERMS

Unless otherwise agreed, the delivery terms provided in the purchase proposal / sale contract are purely indicative and not essential; any delays in delivery may not entitle the Buyer to indemnity and/or compensation of any kind.

Any changes required during the production phase shall however release the Seller from compliance with the agreed terms. In this case, the delivery terms and conditions shall be renegotiated. In the case of collection of the goods by the Purchaser, the same undertakes to collect them when made available, within and no later than five days from the telephone or written communication (also by e-mail) of availability.

In case of non-collection within the established terms, the Seller shall have the right to ask for a penalty equal to 5% of the sale amount for each day of delay, always subject to compensation for greater damage. Furthermore, if the delay of the Purchaser, with respect to the term set for the collection of the goods, shall be greater than 30 days, the seller shall have the right to terminate the purchase proposal/sale contract due to non-fulfillment of the purchaser, retaining any

amounts already paid by the purchaser; the seller may also claim the costs incurred for any restorations agreed during negotiation and definition of the order, without prejudice to any further rights, in particular, compensation for any greater damage.

7. CAUSES OF IMPEDIMENT

The Seller and/or the Purchaser may not be held liable for the failure, even partial, to fulfill one of their obligations if said failure is due to an impediment independent of their will, therefore reasonably unpredictable at the time of signing the purchase proposal / sale contract, and said impediment could not have been avoided in any way. In the presence of said impediment, the Parties shall be required to communicate it without delay.

Similar communication shall be provided as soon as the event that caused the impediment shall cease. In case of omission in the above communication, the defaulting party shall be required to compensate for any damage caused.

In any case, if the impediment shall continue for a period exceeding 20 days, each party shall have the right to terminate the purchase proposal / sale contract by written communication to the other party, excluding any charges or additional rights from arising/resulting in this case.

8. TESTING

In relation to the sale of machines, for which on site testing is required, the Buyer undertakes to reimburse the Seller for any costs that may have to be incurred for travel and for specialized personnel required for testing.

9. PRODUCT WARRANTY. CLAIMS

Purchased goods shall be verified and checked upon delivery. Any discrepancies regarding the quantity, kind or type of products sold, as well as any claims regarding defects / non-conformities recognizable with the use of normal diligence, shall always be reported in writing within a maximum of 8 (eight) days from receipt of the goods, with analytical description in order to facilitate and allow immediate verification. After said term, the goods shall be considered to all effects as accepted and not contested; furthermore, the use and/or installation of any goods that have recognizable defects, shall exclude the possibility of disputes or claims regarding the defects. The intervention of the Seller for the sole purpose of verifying the reported defects shall not constitute recognition thereof.

The goods shall be guaranteed by the Seller for design, material and manufacturing defects, for a period of 12 (twelve) months from the date of delivery thereof.

Defects or flaws in the goods, not recognizable through diligent verification, shall be reported in writing to the Seller, via certified e-mail (PEC), under penalty of forfeiture, within 8 (eight) days of discovery thereof, and in any case not beyond the above warranty period. Any claims shall specify precisely the defect found; the goods disputed shall always be made available to the Seller's agents for verification thereof.

Any disputes within the terms and in the manner described above shall not result in contract termination, but at the Seller's discretion, in the repair or replacement of defective products, if it is not verified that the flaws/defects are attributable to Buyer.

In this case, if the Seller nevertheless decides to carry out the repairs/replacements, they shall not be understood as recognition of the flaw and will therefore be charged to the Buyer. Except in cases of wilful misconduct or gross negligence, the foregoing excludes any other liability of the Seller however originating from the goods supplied or from resale thereof. In particular, compensation and/or indemnities for damages, direct or indirect, of any nature deriving from the failure or limited use of the goods may not be claimed.

Any disputed goods shall be sent back free of charge to the Seller's address and accompanied by a specific return document. If that the Seller shall send goods to replace defective ones before receiving them, the Buyer shall return the flawed goods to the Seller within 15 days of receiving the replacements. The replaced goods shall become the property of the Buyer. If the Buyer, if not authorized in writing by the Seller, shall not return the defective products within the aforementioned term, it shall be required to pay for the goods sent in replacement. The costs and risks of transporting both defective goods and repaired or replaced goods shall be the responsibility of the Buyer.

The Buyer declares to have been informed in the purchase proposal / sale contract of the status of the goods purchased. The Buyer also declares to take note of the fact that any conformity defects may be referred to the age of the goods and to agree that conformity defects shall not include defects due to normal wear, lack of maintenance and failure to comply with the indications provided by the manufacturer regarding the use and maintenance of the goods.

The Seller shall not provide any warranty for neglect, tampering (additions or removals of components, interventions carried out by unauthorized personnel), negligence in the installation or installations carried out in areas not compliant with the specifications communicated by the Seller, improper use of the goods, negligent conservation thereof, normal wear, force majeure or unforeseeable circumstances. The Seller declines all responsibility for any damages, directly or indirectly, to people or things as a result of failure to comply with all the

provisions indicated in the specific documentation accompanying the goods, where required by law, and in particular that concerning notices regarding installation, use and maintenance.

Any claims regarding a single delivery shall not release the Buyer from the obligation to collect the remaining quantity of goods provided for in the purchase proposal / sale contract or from other purchase proposals / sale contracts signed.

10. PAYMENTS

Payments shall be made exclusively to the Seller under the conditions agreed or referred to in the purchase proposal / sale contract. The agreed payment terms are peremptory and may only be changed following a written agreement between the parties. Changes granted by Seller's agents shall be ineffective unless approved in writing by the Seller.

It is understood that any claims or disputes shall not entitle the Purchaser to suspend or in any case delay the payments of the disputed goods, or those included in other purchase proposals / sale contracts. More generally, no action or exception may be carried out or opposed by the Buyer until after full payment of the goods for which said dispute or exception is raised.

The Buyer is not authorized to make any deduction from the agreed price (ex. in case of alleged defects of the goods), unless previously established in writing with the Seller.

In the event of delayed payment at the agreed deadlines, the Buyer shall be charged the interest on arrears provided for by current legislation.

Upon intervention by third parties, in particular on the occasion of foreclosures of the supply of goods, the Buyer shall immediately send a written communication to LaCruz, and notify third parties in relation to the ownership reserve of LaCruz.

11. OWNERSHIP RESERVE

The Seller shall be expressly entitled to the ownership reserve for all goods covered by the purchase proposal / sale contract until the Purchaser has fully paid to the Seller any amounts due for principal, interest and any other amounts due for any reason or in any capacity depending on this sale.

From the delivery date, the Purchaser shall be responsible for the risks and consequences deriving from any damage, theft, fire, fortuitous events or force majeure, damages to people or things, and the Purchaser, despite the occurrence thereof, shall respect all the agreed obligations and payment methods.

The Buyer undertakes not to transfer or modify the goods, even in part, without the express consent of the Seller. The Buyer also undertakes to keep them in a good state of conservation. The Buyer also acknowledges to the Seller the right to verify the state of conservation of the goods until full payment thereof.

If the parties have agreed on payment by instalments, failure to pay within the agreed terms even a single instalment the amount of which exceeds one-eighth of the sale price shall give the Seller the right to consider the contract terminated. The Buyer shall be required to return the goods and the Seller shall have the right to retain, by way of indemnity, any instalments paid up to that time, except for the right to act for compensation for greater damage.

If the amount of an unpaid instalment shall be less than 1/8 of the total price, the Seller shall have the right to act for fulfillment and/or inhibit any further use of the good sold and/or act in execution for the same good or other goods of the Buyer.

If the Seller does not wish to resort to the foregoing, it may terminate benefit of the term for the Buyer. In this case, the Buyer shall be required to immediately pay the entire agreed price.

12. RETURN OF GOODS

The Seller shall not accept returns of goods unless previously authorized by the same in writing. Any returns shall in any case be intact (not dismantled), packaged (possibly in the original packaging) and accompanied by a return note, and the Buyer shall be responsible for all costs and risks.

13. SUSPENSION OR CANCELLATION OF ORDERS

If the Purchaser shall not comply, even only in part, with one of the general conditions established for the sale, as well as in case of ascertained difficulty in payments or solvency guarantees or, more generally, its economic capacity shall diminish or no longer be available, the Seller shall have the right to suspend or cancel current orders, or to subject the delivery of goods to the provision of adequate payment guarantees. In the event of order cancellation, any delivered and unpaid goods shall be returned to the Seller intact and without any alteration at the Buyer's expense within 5 days of the communication. Any delay in returning the goods shall automatically entail, in addition to returning the goods, the application of a penalty equal to 5% of the amount of the sale for each day of delay and in any case not less than 20% of the value of the goods resulting from the invoice.

Unless agreed in writing, no compensation shall be accepted between any receivables claimed by the Buyer with respect to the Seller and any payables of the Buyer, in any capacity whatsoever.

14. PRODUCT CONFORMITY IMPROVEMENTS AND MODIFICATIONS

The conformity of the goods / products with the samples shown for illustrative purposes and/or illustrations in the price lists, catalogs or similar documents shall not be guaranteed. In particular, the aesthetic aspect of products may differ

from the aforementioned samples and/or images present in the aforementioned documentation.

Furthermore, also with respect to the data and information provided in the aforementioned documentation, the Seller reserves the right to make any improvements and modifications to its products, also aesthetic, deemed appropriate or necessary, and the Buyer may not raise disputes and shall not have the right to terminate / withdraw from signed purchase proposals / sale contracts and/or claim indemnities and/or request reductions in the agreed price.

15. INTELLECTUAL PROPERTY

All printed material and other documents (price lists, catalogs or other similar documents, also on IT and digital media) relating to the products are the exclusive property of the Seller. Any reproduction thereof, even if only partial, is forbidden, unless previously authorized by the Seller.

The Seller warns against the unauthorized use of its trademark, and/or other trademarks shown on the products or associated with the products supplied/sold, and/or names and distinctive signs, as well as of the models and designs relating to its products. In particular, the Purchaser may not reproduce totally and/or partially models relating to the products purchased or viewed. It is also forbidden to communicate news and information that allow any reproduction of the models. The Seller shall provide the Buyer, free of charge, at the time of delivery of the goods, with a manual containing detailed instructions for use. This manual shall become the property of the Purchaser but must be considered confidential, even after the relationship between the parties has ended.

16. DISPUTE RESOLUTION

Any disputes arising from the execution and interpretation of the contractual relationship shall be referred to the exclusive jurisdiction of the Court of Treviso.

17. FINAL PROVISIONS

These general sale conditions are governed by Italian law. If a contractual provision provided in these general sale conditions shall be invalid or null, said circumstance shall not affect the validity of the other provisions that will remain valid and effective.

18. PRIVACY

The Buyer authorizes the Seller to include related personal data on the Seller's website, as commercial reference. Furthermore, the Buyer, with specific consent to data processing, authorizes the Seller to process data for the purpose of transmitting illustrative material of the Seller's products and other commercial/promotional communications, by mail and/or e-mail. With regard to the data processed for said purposes, the Purchaser may exercise the rights provided for by current regulations.

The Buyer, pursuant to and for the purposes of EU Regulation no. 2016/679 (and subsequent amendments/integrations) relating to the protection of individuals with regard to personal data processing and Legislative Decree 196/03, as integrated by Legislative Decree 101/2018 (and subsequent amendments/integrations), authorizes the processing of data and gives consent to use thereof. The personal data requested and received shall be used only for the full execution of this contract.



SOLUTIONS FOR VINEYARDS

MADE IN ITALY



LACRUZ® S.R.L.
Società Unipersonale

Via Concordia 16 ZI - Oderzo - TV - ITALY
Tel. +39 0422 209006 - Fax. +39 0422 810028
info@lacruz.it - www.lacruz.it

